

TIANYU

天宇光电

操作手册

OPERATION
MANUAL

V5.1

新瑞得仪器有限公司



[The page contains ten sets of horizontal dotted lines for handwriting practice.]

.....

.....

.....

.....

[illegible]

.....
.....

.....
.....

.....
.....
.....

.....
.....

.....
.....
.....
.....

.....
.....
.....
.....

.....
.....

.....
.....

.....
.....

.....

.....
.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....



1

$\check{\alpha}$ $\downarrow \eta$ $\acute{\imath}$ $\square$ $\acute{\imath}$ $\mathring{U}w$
 w w $\downarrow$ $\acute{\epsilon}$
 $\downarrow \eta$ w $\downarrow$ $\downarrow$
 $\acute{\epsilon}$ w $\mathring{B}$
 $\Leftrightarrow$ w $\mathring{B}$
 $\mathring{B}$
 $\cdot$ $\cdot$ $\cdot$ $\cdot$ $\cdot$ $\cdot$
 $\cdot$ $\cdot$ $\cdot$ $\cdot$ $\cdot$ $\cdot$
 $\cdot$ $\cdot$ $\cdot$ $\cdot$ $\cdot$ $\cdot$
 η λ $\acute{\imath} \rho$
 v $\mathring{w}$ v $\mathring{B}$
 $\acute{\imath}$
 $\acute{\imath}$ Z w $\cdot$
 $\downarrow$

$\dot{\epsilon}$ γ
 $\downarrow \eta$.
 $\dot{B}$ ν .
 ν





'P 3

‰

'P

0

r

 $\bar{G}$

i

غ

r

 ω

M

"E

1

3

 ω ω

‰ ‰

၇

 $\dot{\omega}$


‰ ‰


 $\neq$

‰


၇

%






H




Ἐ



) 4 ϕ ε ~ ς □ ΐ U 1
4~ No

仪器



产品合格证

产品合格证

h € 7 h K

~

P e

%o M

h P M

≠ %o p %o %o

%o G

≠ "E

• - ð

ð

1

7

" "

ĩ H



V 7

↯ ↯

~
~

غ U

D




F1	~	~	~
1	~	“	”
.	~	“	”
5	~	“	”
~	_____		

~


D

~

“ ”




▲][▼]
 , [~



F1] ~ ~ y



3 7] , “A”
 7] , “B”
 7] , “C”
 8] , “D”
 8] , “E”
 ~




O

W



~
~





4

2

w

2


w

3

↕

W

V



$\mathfrak{f}$


	w
	Ω^-
	$\mathfrak{f}$
	$\mathfrak{f}$
	w
	$\sim \mathbb{Z}$
	$\mathfrak{f}$
	w

↑ - | ~

η ð ð ð ħ 1 z f
 γ 1 -
 1

1 1 1 1

1
 γ U E
 γ



□
 □
 γ

γ ~ ð “ ~ ”
 ~
 1 ↑ -


E^x η 7 1




í

ŵ

ẽ









o

₪

₪

□

□

□

®

↓ n

RSM 0 APPM 6.7   

U :  58'33"


HR: 41°07'45"

HD: 1.412

m UD: 1.676

m 测量 模式 S/A P

PSM 0 APPM 6.6   
 U : 40° 33' 33"
 HR: 37° 35' 33"
 HD: 1.410
 m VD: 1.673
 m 偏心 放样 m/ft P2



PSM 0 APPM 6.7   
 距离放样
 HD: 25.000 m
 回退 平距 高差 斜距

PSM 0 APPM 6.8   
 U : 40° 33' 33"
 HR: 37° 35' 33"

1 F4 P1
 ↓ ~ 2 w
 2 F2 7

3 F2-F4
 4 F2: (HD) F3
 (VD) F4 (SD)
 D ~ 350m

‰
 7
 0m

~ α “ ~ ”
 | ~ | © | ì

Z



z

z

z

V No

7

U

z

ġ

4~

|

□

7

z

||


~

ā

ġ

PSM	0 APPM 6.6	Bluetooth	Battery
U :	40° 33'	40° 33'	
HR :	37° 35'	37° 35'	
HD :	1.410		
m UD :	1.673		
m 偏心	放样	m/ft	P2





đ

đ

đ

đ

đ

w

1 F4 P1 ↓

2 F1(Z)

2 F2 Z , ~

Z ~ h* Z

ENT

~ h || Z ENT


% P F1

U 7 v Z

U

A₀

φ
 $\%$ U $\%$
 ε



α "

PSM 0 APPM6.6
 U : 40.00'33"
 HR: 37°35'
 HD: 1.410
 m UD: 1.673
 m 偏心 放样 m/ft P2

PSM 0 APPM6.7
 平面偏心
 1#
 HD: m
 测量 镜高



↑

H

Z

||

% h

R

~ ã “ ”

PSM 0 APPM6.6   

U : 40° 33' 33"

HR : 37° 35' 33"

HD : 1.410

m VD : 1.673

m 偏心 放样 m/ft P2


PSM 0 APPM6.8   

圆 柱 螺 丝 钉

中心

HD :

m 测量 镜高





ƒ

z

˘

˘

ESC

ŵ ||

˘

Ġ U

U

w

˘

˘

Ġ

U

˘

ʏ

ǎ

“

”

Ġ

ǎ

“

”

Ġ

“

”

U

U

˘


‘E

ƒ

Λ

Ω

ĩ U






1


~

ε

U G



PSM 0 APPM 6.8



N: 1.249 m

E: 0.767 m

2. 1.249 m

镜高

仪高 测站 P2↓

模式 S/A P1↓

~ ã “ ~ ”

~


≤

≤

˘ U ˘ Ĝ



~ ã “ ~






$\sim \tilde{\alpha}$ $\sim "$
 $\sim$ $\sim$


$\square$ $\sim \gamma$ $\square$ $\tilde{\alpha}$ $\sim \int$
 γ

$\int$ 7

U



$\sim$






%



~





Ė

~

~

Ų


W

.....

.....

D






F4
~ ∫ B

7 % B F1
∫ B HD
F4 , A
B HR dHD
dVD dSD
A-C F4

% □
∫
F4 , A
C HR dHD
dVD dSD

12

α
~ ∫
~ ∫



数据个数 0

点名: 2

S = m²

L = m

回退 调用 字母 下点

数据个数 5

点名: 5

S = 0.00




~

~

~



~





~

~

≠




ı

ğ



~

|






D



D







PSM 0 APPM 7.1 → [] []

点到直线

测点 P2

HD: 1.423

测量 镜高 [] 确

PSM 0 APPM 7.1 [] → [] []

N: m

E: m

Z: m

退出 [] 镜高 测量

~ B P2 [ENT]

9 ‰ B P2 [F1]

*1 [F4]

h

[F1]

*2

‰

[F4]

γ

[F4]

()

[

10

*3

γ *4

[]

[]

≠

[

ǎ

~

γ

Ė

Ė

ff

Ė

~

Ė Z

ĩ U

ˆ C

ˆ H

ĩ

~

v

~


,

~


Ė

Ŧ

~



~ U



•

||

||

w

L

i

w

~

~

ε


~

i

H

7

v



w

H

~

w

H

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L

~

ε

H

7

v

~

i

w

L


~

ε

H

7

v







直线
长度: 

圆退   

ξ γ γ $\dot{B}$ h h^* γ γ
 γ h γ γ $\parallel$



Ğ ß̃ Ğ ð̃ ʎ ß̃ ʎ Ğ Ğ̃ ʎ̃ ʎ̃
 ß̃ ʎ̃ ʎ̃ ʎ̃ ʎ̃ ʎ̃ ʎ̃ ʎ̃ ʎ̃ ʎ̃



Ğ ʎ̃ Ğ ð̃ ʎ̃ ʎ̃ ʎ̃ ʎ̃ ʎ̃ ʎ̃
 ʎ̃ h ʎ̃ ʎ̃ ʎ̃ ʎ̃ ʎ̃ ʎ̃ ʎ̃ ʎ̃

~
 † ~ ʎ̃ ʎ̃

100% 

INTG

WIDE

PEG


P2 ↓

缓和皮囊







~ ~ |






ENT



F4


F3(PEG)



ENT



~





U w B Q | U U
w B Q |
|
~
w B ~ k U
B U' k

~ |

1 G U | p
a

~		a
		~
		e e a v
		v
		v
		i ~ .






























ل

پ

~

-



F2() , 2/2
U ~ ل


3 ~ ل 4 -
- 2/2

ع


'

~



ع



U [] B Ů ~ ~ ~ [Ů]




1 F2(



*1 غ

i




67

$\tilde{G}$ U [$\dot{p}$]
 $\tilde{\alpha}$



D



غ

ف


ف 3

~

中线

左 偏差

右 偏差



ف

غ U

غ

U

غ




غ U



ف

~ ~

~



F2() ,
U ~ |

~ |

F1
U
~ ~ Z
*1 *2
ENT

F4()
|

*1 ~ ~ G
*2 F3(O) ~
9.2.3

~ ~ " ~ "
~ ~ i



*3 Z

Z

U

		☰	☰
-			
-			

U		Y	☰	☰
N :		27.230m		
E :		19.600m		
Z :		3.010m		
q		[ʌ] []		

		☰	☰
%U			
> %?		[ʌ] []	

1 2/2

F2() ,
U ~ |

2 [] ~ |

3 F2 U
U
, ~ ~ ~ Z

U *1 *2 *3 ENT

5 F4() U
U






%U F4()
U

*1 ~ ~ G
*2 F3(O) ~
9.2.4

*3 Z Z

ʌ ↑ “ ~ ”
غ ~ U ĩ

Z



F2() ,
U ~ |

□ , END (SS) DE


F3 *b W, i9) λ) λ

F2 ~ ~ ¸ Z
~ %

ENT()

)

°





~

Y

~

~

~

ε

~

~

↑

↗ ↑

:		0.000m	
:		0.000m	
:		0.000m	
:		0.000m	
:		0.000m	

↑		0.000	
→		0.000	
			A






~


Ė

í

U

ı





1	$\bar{G}$	$\bar{U}$	$\sim$	$\bar{F}$	$\bar{y}$	$\bar{\phi}$	$\bar{U}$	$\sim$	$\bar{F}$
2		Π		$\bar{\phi}\%$	$\bar{y}_H$				

76

ଫ

ଝ

ଉ ଇ ଝ

U

†

ϕ

†

h

Ė

~

~

†

Ė

h

γ

~

≠

ρ

~

U

h

~

≠

ρ

~

U

~

h

~ ρ

~ ã

~

Ė

D

≠

ρ



1

† (1/2)

F1

~

)

,†

†

2

F3

()

3

~

O*1)

A†

ENT

F4()



		000 01
N	152.258	
E	376.310	
Z	2.3-	



*1

0

1.8"

~

"

*2

~

~

~

ρ

~

F2

ρ


|


↑

"

O

"











~

~







Z
Z




‰






“ ”

ħ ũ U
 ħ h © 4 7 h
 ħ h ħ h y



~ ũ “ ”




F3
 F4(7)
 3 F4(7)


4 ‰ P1

F1

U







91

3

~

ī U

FN :

XXXXXXXXXX

XXXXXXXXXX

XXXXXXXXXX

XXXXXXXXXX

XXXXXXXXXX

~

γ

$\dot{\rho}$

~

$\bar{G}$

D

$\tilde{U}$

~

XXXXXXXXXX

XXXXXXXXXX



XXXXXXXXXX


XXXXXXXXXX


0 ≠ 0 ~ U



$\sim$ $\sim$ $\sim$ L
 $\dot{p}$ $\dot{p}$ $\dot{p}$
 $\sim$ $\dot{p}$ $\dot{p}$
 $\dot{p}$ $\dot{p}$ $\dot{p}$







Á





7

7

~

~ O ~

D




1 1 1/2 F3
P F2

2 ↓ ϕ ~ ~ h
h ~


3 F1
~ [▲] [▼] ~
h ~

4 ESC
5 ENT ~
~ ~


₤ F4()



ρ γ
 $\square$ $\sim$ γ
 $\square$ ρ ρ γ



||f U





ρ

$\bar{G}$

ξ

D

O



ǎ

~



~





-

~

-

w ~


7








0

ρ

O










n p

 f 7 y
 D ~ “ f ” y “ ”
 “ ” “ ” p “ ” y
 y G |

D ~
 ~

→ ~ Ũ p “ U G | U “
 | n p 7 k O 7
 p

w "H ρ ξ




□

□ √~

Δ . ρ Ũ ↓ ~ Δ .
 η ξ

Δ . ξ ξ



Δ . 69 CTE 2.
ΣΑ9, 6 ΒQ4 bAw xp β)) ,

Δ

Äp `Ð(€


í , ã
~



~

7

1



1/2

F1

~

1
No

F1-F4

1

~


1

ĩ ã

1		9	1 9
			1
	1	1	1 1
			1

~

ĩ ã



1/2

F2

~

ĩ ã

-

118

118

118

€0



	9	L	

[0]

F1: [1 "]

F2: 5 "


F4 ~ ǎ
 " ǎ U
 ǎ

0
 ~

F1: []

F2:

F1 ǎ 2/2
 ~
 " " ǎ
 U ǎ



D



F1: [1]

F2:

~ ~ ï O

F1: ~
F2: O

1 F1 ~
2 F2 O ï

~ 2 ~ ~

ï
F1: ~ ~ ~
F2:
F3: ~ ~

~ ~
1 2/2 F1
ï ~ | ï

60 № ð

↓ ~ ~

~ ~ ~
F1: [~]
F2: ~

~ | ï F1
~ | ~ ~
U “ ~ ”
~ | ï

□



↑

↑

↶ ↷



↶

~

∫ ≠ 1

—

e



S

𐎧𐎺𐎠
 𐎧𐎺𐎠 𐎧𐎺𐎠 𐎧𐎺𐎠 𐎧𐎺𐎠
 𐎧𐎺𐎠 𐎧𐎺𐎠 𐎧𐎺𐎠 𐎧𐎺𐎠
 𐎧𐎺𐎠 𐎧𐎺𐎠 𐎧𐎺𐎠 𐎧𐎺𐎠





U 1 U Ů Ů ě w ı ğ
% U Ů Ů ě w ı ğ

	È	Ẁ	Ẃ	Ẅ
h	Ẃ			
h	Ẃ			

$$\dot{Z} \quad \dot{v} \quad \pm \quad \dot{\rho} \updownarrow \quad \quad \eta \updownarrow$$

✓

[illegible][illegible]



Ṗ

 $\updownarrow$

r

يَقُفُّ

U

No 7/8 M

‰

غ

L-

M

✓

$\dot{\rho}$

↕ M

W


Z


↕ M

W


No $\frac{7}{8}$

A






130_



↓
‰
•
•
7 L ã
P
~
v
l ð
‰
N k
v
U □
ẽ Ğ k v
(
‰
L
v
ĩ
f v ĩ



$\dot{\omega}$ U M $\frac{n}{l}$
 - ° M $\frac{n}{l}$ " M $\frac{n}{l}$
 % ° M $\frac{n}{l}$ " M $\frac{n}{l}$



•

7

vu

G

Ė

Ė

G

1

Ė

i

No

...

vu



50m左



7 1 2



	A
"E	"E
Ò	
No	



ò	
	±

ô	
	A
ô	2
	ô
	ô
	z ≤
	≤

	A

~	
	A

	A

Ů	
	A

	A
	~ H
1	

	A

ĩ	
	A

	A
ŵ	
ı	~
	~

ă	:
:	□ ă , ă U
:	
a.	5 ʼE ŵ



b.	20`E			ϕ			
c.	40`E						
d.	γ						
e.	90%			γ			
f.	18%			γ			
g. Δ							
h.							
i.							
				A			
γ				m/ft			
				70-150MHz			
ϕ ξ				~ α ~ , K=0.14/0.2~			
γ				~ α ~			
				1mm			
				~ / ~			
			a	γ	2000m/	2600m	
			b	γ	3500m/	4500m	
			c	γ	4000m/	5000m	
	γ		a	700m			
			b	1000m			
			c	1200m			
	γ	e	a	(*50m)			
			b	(*80m)			
			c	(*100m)			
		f	a	(*25m)			
			b	(*40m)			
			c	(*50m)			

	g	1.2s		
	h	0.5s		
	i	0.25s		
ü	g	1.0s		
	h	0.5s		
	i	0.25s		
	g	0.5-3s		ü
vi	h	ü † ü		10s
	i	0.25-3s		ü
		ü † ü		10s
		±		



3	୨	ଫି ୨ % ଝ
	୩	ଫି ଫି ୨ ଝ

~ || : NTS-332

$R^n(X)$

A

A

%

ě

A

ǝ

A

()

ǝ

A

()

A

~

A

A

Ů

A

Æ H

~
O
M ⇔ ï O
~ ð ð -

Æ

ð ð
ð
O ,
O †
ð |
~
'P

ð

ŵ

√

ŵ
Ů √

Ṗ ı ‰

⊕

Ȧ

Π

Ȧ

L

˘

˚ ‰

N₂

ŵ ˆ ˆ
7 ˆ ˆ ˆ

˘

ˆ

ŵ

γ

Ṗ

ŵ

ð

ŵ

ŵ

ŵ

ŵ

ŵ

L γ

*

˘

ŵ

ŵ

ŵ

ˆ

ŵ

˘ G

≠

κ

ŵ

ŵ

⋮

|

ŵ

Ṗ

ˆ

ŵ

⋮

|

ŵ



Y



M

3

ε ‰

GB/T 27663-2011 ¶

JJG100-2003 ¶

ε L ~ ~



L 04000302~

‰



”

Ü ̈̈

ẽ

↵

˘E˘

11˘ (.)